



Ideal choice.

UTOPIAN SERIES

Extruded Clay Pavers

Aesthetically Pleasing Colors

Make A Powerful Tactile Impression

Triadic Color Schemes

Perfect Balance Between Quality And Character

Exclusive Tactile Textures

UTOPIAN SERIES

Extruded Clay Pavers



8520 Coarse Velour



8521 Coarse Velour



8522 Coarse Velour



8523 Coarse Velour



8530 Velour



8531 Velour



8532 Velour



8533 Velour



Acadia Clear Coarse Velour



Indian Full Range Coarse Velour



Indian Red Coarse Velour




Midland Blend Coarse Velour




St Simon Blend

The highly desirable Utopian Series Pavers are aesthetically pleasing colors and one-of-a-kind imagined textures that strike the perfect balance between quality and character. Embrace your version of paradise and communicate your idealistic design with hues coexisting in a peaceful state of soft grays and exquisite colors inspired by nature in their purest form.


Whatever your version of paradise, Utopian Series Pavers are as close to perfection as you can find.



4 x 2-1/4 x 8"
Standard Pavers



4 x 2-3/4 x 8"
Jumbo Pavers



4 x 2-1/4 x 12"
Standard Plank Pavers

Coarse Grind Utopian Series Pavers comply with ASTM C902, Class SX, Type I, Application PS, and/or ASTM C1272, Type R, Application PS. Fine Grind Utopian Series Pavers comply with ASTM C902, Class SX, Type I, Application PX, and/or ASTM C1272, Type(s) R or F, Application PX.

Due to variations in printing, color and texture may vary from the actual product. Final selection should always be based on an existing product sample.

330-456-0031 | *The Standard of Comparison Since 1885*

BELDEN
THE BELDEN BRICK COMPANY

Discover more at www.beldenbrick.com



Linear impact.

PLANK SERIES

Extruded Linear Clay Pavers

Colorfast Through-The-Body Color

Large Format High-Strength

Install Flat Or Edge Set

Long, Linear, Contemporary Look

**Applications Including Driveways,
Walkways, Sidewalks, And More**

PLANK SERIES


Extruded Linear Clay Pavers




470-479 Dark Range*



470-479 Medium Range*



481-483



661



671



Carbon Black



Denali




Dutch Gray



Ebony Black*



Field Gray



Graystone




Pawnee




Pawnee Red



Pebblebrook




Quaker




Sea Gray



Seal Brown



Flat: 4 x 2-1/4 x 12"
Edge: 2-1/4 x 4 x 12"
Standard Plank Pavers



Flat: 4 x 2-3/4 x 12"
Edge: 2-3/4 x 4 x 12"
Jumbo Plank Pavers

Coarse Grind Plank Series Pavers comply with ASTM C902, Class SX, Type I, Application PS, and/or ASTM C1272, Type R, Application PS. Wire-Cut Plank Series Pavers comply with ASTM C902, Class SX, Type I, Application *PS or PX, and/or ASTM C1272, Type(s) *R or F, Application PX.

Due to variations in printing, color and texture may vary from the actual product. Final selection should always be based on an existing product sample.

330-456-0031 | The Standard of Comparison Since 1885



Discover more at www.beldenbrick.com



Hydrologic balance.

PERMEABLE SERIES

Permeable Clay Pavers

Pedestrian Friendly Storm Water Management

Provides Aesthetic Quality, Strength, And Durability

Available in Extruded And Molded

Can Be Set Mechanically

Strategic Component For Sustainable Design

PERMEABLE SERIES

Extruded Clay Pavers



Admiral Full Range




Admiral Red




Carbon Black



Claret Clear




Claret Full Range



Ivory Bay



Landmark



Lighthouse



Nutmeg Clear




Nutmeg Full Range



Regimental Full Range



Regimental Red




Sienna Blend



Wheatfield

Permeable clay pavers help reestablish a more natural hydrologic balance and reduce runoff volume by trapping and slowly releasing precipitation into the ground instead of allowing it to flow into storm drains and out to receiving waters as effluent. They meet ADA standards and qualify for additional LEED Certification categories of Sustainable Sites, Water Efficiency, and Materials and Resources, depending on the design strategies.

Manufactured with geometric perimeter lugs to increase pore area and designed to handle the harshest weather events. Like our City Line Series, Belden Permeable Series Pavers can also be laid mechanically or by hand.



4 x 2-3/4 x 8"
Jumbo Permeable Pavers

Permeable Series Pavers comply with ASTM C902, Class SX, Type I, Application PX, and/or ASTM C1272, Type(s) R or F, Application PX.

Due to variations in printing, color and texture may vary from the actual product. Final selection should always be based on an existing product sample.

330-456-0031 | *The Standard of Comparison Since 1885*



Discover more at www.beldenbrick.com



Stylistic versatility.

CRESTLINE SERIES

Sandmold Clay Pavers

Timeless Color Palette


Standard, Jumbo, And Standard 8 x 8 Paver Sizes

Sandmold Appearance


**Interior And Exterior Applications Including Floors,
Driveways, Walkways, Sidewalks, And More**

CRESTLINE SERIES

Sandmold Clay Pavers




Georgian 8 x 8




Georgian




Rembrandt 8 x 8




Rembrandt



Sandhills 8 x 8



Sandhills




Victorian 8 x 8




Victorian

An understated, timeless color palette complements the superior craftsmanship that goes into these molded clay pavers. The texture of Crestline Series Pavers is similar to Belcrest, with a sandmold surface and long-lasting color, but are manufactured with a unique Dutch Chamfered Edge, unlike any other clay paver in the industry. Due to their low water absorption and high compressive strength, they perform exceptionally well in various interior and exterior applications, including floors, driveways, walkways, sidewalks, and more.


Rectangles aren't the only shapes available in our Belden Clay Pavers. You can also get standard 8 x 8 pavers to create random pattern possibilities that further add to your look and design customization.



4 x 2-1/4 x 8"
Standard Pavers



4 x 2-3/4 x 8"
Jumbo Pavers



8 x 2-1/4 x 8"
Standard 8 x 8 Pavers

Crestline Series Pavers comply with ASTM C902, Class SX, Type I, Application PA, and/or ASTM C1272 Type R, Application PA.

Due to variations in printing, color and texture may vary from the actual product. Final selection should always be based on an existing product sample.

330-456-0031 | *The Standard of Comparison Since 1885*

BELDEN
THE BELDEN BRICK COMPANY

Discover more at www.beldenbrick.com



A paver with presence.

CITY LINE SERIES

Extruded Clay Pavers

Eye-Catching Colors

Manufactured With Chamfered Edges And Spacer Lugs

Colorfast Through-The-Body Color

**Heavy Vehicular Applications Including Streets,
Commercial Driveways, Piers, And More**

Standard, Jumbo, And Standard 8 x 8 Paver Sizes

CITY LINE SERIES

Extruded Clay Pavers




Admiral Full Range




Admiral Red




Carbon Black




Claret Clear




Claret Full Range




Ivory Bay




Landmark




Lighthouse




Nutmeg Clear




Nutmeg Full Range




Regimental Full Range



Regimental Red




Sienna Blend




Wheatfield

Manufactured with chamfered edges and spacer lugs, City Line Series Pavers are also available in chamfered edges no lug, and square edges.


Rectangles aren't the only shapes available in our Belden Clay Pavers. You can also get standard 8 x 8 pavers to create random pattern possibilities that further add to your look and design customization.



4 x 2-1/4 x 8"
Standard Pavers



4 x 2-3/4 x 8"
Jumbo Pavers



8 x 2-1/4 x 8"
Standard 8 x 8 Pavers

City Line Series Pavers comply with ASTM C902, Class SX, Type I, Application PX, and/or ASTM C1272, Type(s) R or F, Application PX.

Due to variations in printing, color and texture may vary from the actual product. Final selection should always be based on an existing product sample.

330-456-0031 | *The Standard of Comparison Since 1885*

BELDEN
THE BELDEN BRICK COMPANY

Discover more at www.beldenbrick.com



Simple yet powerful.

BELCREST SERIES

Sandmold Clay Pavers

Rich Color Palette

Performs Well In Demanding Climates


Sandmold Appearance

For Pedestrian And Light Traffic Projects

Color Permanence

BELCREST SERIES

Sandmold Clay Pavers



Belcrest 100



Belcrest 350



Belcrest 500



Belcrest 530



Belcrest 560



Belcrest 600



Belcrest 650



Belcrest 700



Belcrest 730



Belcrest 760



Belcrest Black



Heritage Blend



Lakeshore Blend



Princess Blend




Provincial Blend



Saxony Blend

The individual characteristics of our Belcrest Series sandmold pavers' appearance are a simple yet powerful asset to your paving design! Its look has remained popular for centuries, and the non-linear shape makes it possible to create smooth-looking curves.



3-5/8 x 2-1/4 x 7-5/8"
Modular Pavers

Belcrest Series Pavers comply with ASTM C902, Class SX, Type 1, Application PA.

Due to variations in printing, color and texture may vary from the actual product. Final selection should always be based on an existing product sample.

330-456-0031 | *The Standard of Comparison Since 1885*

BELDEN
THE BELDEN BRICK COMPANY

Discover more at www.beldenbrick.com



One of a kind.

BEEHIVE SERIES

Extruded Clay Pavers

Inspired One-Of-A-Kind Color Palettes

Flashed In Beehive Kilns

Minimize Maintenance, Maximize Complements

Low Water Absorption

High Compressive Strength

BEEHIVE SERIES

Extruded Clay Pavers



470-479 Dark Range*




470-479 Light Range*



470-479 Medium Range*



Ebony Black*



Madrid Blend



Pawnee




Pawnee Red

Our Beehive Series has been popular among landscape architects and designers for years due to its unique appearance and distinctive colors that only The Belden Brick Company can achieve in our beehive kilns. Designed to minimize maintenance and maximize complements, these Belden Clay Pavers are famous for banding, borders, and inlay accents in paver designs.


Rectangles aren't the only shapes available in our Belden Clay Pavers. For Beehive Series Pavers that are available in standard, standard 8 x 8, and standard plank paver sizes, create random pattern possibilities that further add to your look and design customization.



3-5/8 x 1-1/8 x 7-5/8"
Split Pavers



3-5/8 x 2-1/4 x 7-5/8"
Modular Pavers



4 x 2-1/4 x 8"
Standard Pavers



8 x 2-1/4 x 8"
Standard 8 x 8 Pavers



4 x 2-1/4 x 12"
Standard Plank Pavers



4 x 2-3/4 x 12"
Jumbo Plank Pavers

*Available in Split Pavers.

Beehive Series Pavers comply with ASTM C902, Class SX, Type I, Application PS, and/or ASTM C1272, Type R, Application PS.

Due to variations in printing, color and texture may vary from the actual product. Final selection should always be based on an existing product sample.

330-456-0031 | The Standard of Comparison Since 1885

BELDEN
THE BELDEN BRICK COMPANY

Discover more at www.beldenbrick.com



Timeworn beauty.

ANTIQUE COLONIAL SERIES

Molded Clay Pavers

Rich Color Palette

Larger Number Of Voids And Folds

Handcrafted Appearance

For Pedestrian And Light Traffic Projects

Color Permanence

ANTIQUE COLONIAL SERIES

Molded Clay Pavers



Alamo Blend



Beechwood Blend



Garnet Blend



Manchester Blend



Polar White Clear



Rosewood Blend



Rosewood Clear



St Anne Blend



St Anne Clear



Winewood Blend




Woodford Blend



Yukon Blend

Inspired by the rich color and timeworn beauty of old-world style, Antique Colonial Series Pavers provide a dramatic design element for driveways, walkways, outdoor living spaces, or commercial landscapes. Manufactured using our “hand-formatic” molding technique for an authentic surface appearance and to deliver the durability and strength that remains colorfast for generations.



3-5/8 x 2-1/4 x 7-5/8"
Modular Pavers

Antique Colonial Series Pavers comply with ASTM C902, Class SX, Type I, Application PA.

Due to variations in printing, color and texture may vary from the actual product. Final selection should always be based on an existing product sample.

330-456-0031 | The Standard of Comparison Since 1885



Discover more at www.beldenbrick.com



Detectable surface.

ADA PAVERS

Chamfered Truncated Dome Clay Pavers

Provides Maximum Traction


**Offers Guidance For Wheelchair And
Pedestrian Access To Street Walkways**

**Adds Easy Detectable Warnings On
Different Walking Surfaces**

Variety Of Blendable Colors

ADA PAVERS

Chamfered Truncated Dome Clay Pavers



Carbon Black



Cherry



Claret Clear




Sea Gray



Wheatfield

The Belden Brick Company's ADA Pavers' truncated domes provide maximum traction, offer guidance for wheelchair and pedestrian access to street walkways, and create textural contrast. ADA Pavers blend well with surrounding materials and have a through-the-body color that will not fade over time. Our reliable ADA Pavers meet the accessibility guidelines of the American Disabilities Act for Detectable Warning and Loading Ramp applications and comply with ASTM Standard C902.



4 x 2-1/4 x 8"
Standard ADA Domed Pavers