



Distinctive granites quarried from the Adirondack Mountains and distributed all over the world.

www.AdirondackNaturalStone.com



André Hagadorn
Owner

ABOUT THE OWNER

Quarrying Stone for over 25 Years

André founded Adirondack Natural Stone in 1996. He began his career as a welder for local farmers and slate quarries, and this is where he became interested in working with stone. To avoid competing with the customers that he had developed a good working relationship with, he opted to quarry granite.

André had a vision of service and quality that has been the guiding force contributing to the success and growth of the company. He has taken the business from loading tractor-trailers on the side of a mountain, to a multi-million-dollar company. He is still very hands-on and directly involved in all aspects of the business.

Utilizing the latest technologies for stone processing and thin veneer production, his growing operations are all executed in-house. Production starts at the quarries with drilling and blasting and ends as the finest quality material that is delivered to you.

He is regarded in the stone industry as someone who is honorable and trustworthy. When André finalizes the deal with a handshake, it actually means something. The success of Adirondack Natural Stone is a direct result of the motto that André has always lived by, "It is only a good deal, if it is good for everyone".



- 4-5 ADIRONDACK GRANITE
- 6-7 BLUE MOUNTAIN GRANITE™
- 8-9 DOLPH POND GRANITE™
- 10-11 HAWTHORNE GRANITE™
- 12-13 HERITAGE GRANITE
- 14-15 LAKE CHAMPLAIN GRANITE
- 16-17 LIMESTONE
- 18 CUSTOM BLENDS
- 19 PACKAGING
- 20-21 FABRICATION
- 22-23 STEINEX

All of our colors are available in Thin Veneer, Building Stone and Landscaping Stone. Test Specs are available upon request.

THIN VENEER FACILITY

Quality Granite

At the end of 2016, we purchased a 15,000 square foot building that has become the home to our thin veneer production facility. We operate one of the largest thin veneer establishments in the Northeast. This site enables us to be more efficient in our production which allows us to deliver your product in a timely fashion with the same attention to detail you have come to know and expect. We pride ourselves on the high-quality material that we offer you.



ADIRONDACK THIN VENEER

DOLPH POND ASHLAR THIN VENEER



ADIRONDACK GRANITE

Expect to see a full range of colors from this stone's natural habitat including fresh lake blues, birch grays, mossy greens, earth browns, hints of rust and fleshy pinks and a small amount of red garnet inclusions. This is a striking blend that truly represents the Adirondacks with its natural beauty and balance, as well as its diverse mountain tones.

AVAILABLE IN:

Thin Veneer – Flats and Corners

Size: Thickness 1" – 1-1/4"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix

Building Veneer

Size: Thickness 3" – 5"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix
Facing Area: 1/2 sq. ft. – 3

Wallstone

Size: Thickness 5" – 14"
Facing Area: 1/4 sq. ft. – 3 sq. ft. plus
Coverage: 15-30 cu. ft. per pallet average

Uniwall

Size: Thickness 2" – 5"
Facing Area: 1/4 sq. ft. – 3/4 sq. ft.
Coverage: 30 cu. Ft. per pallet average

Flagging

Size: Thickness 1" – 3"
Cuts: Mosaic and Square & Rectangles
Facing Area: 3/4 sq. ft. – 3 sq. ft.
Coverage: 70 sq. ft. per ton average

Step Slabs

Size: Thickness 6" – 10"
Random widths and lengths

Please call for availability on all products. Additional products may be available.



SQUARES AND RECTANGLES



MOSAIC



SETTLERS MIX VENEER



ASHLAR



MOSAIC



SQUARES & RECTANGLES



FABRICATED WALLSTONE



BLUE MOUNTAIN GRANITE™

This well-balanced granite is full of deep, grayish blues with subtle tones of sea glass green. Within these cool colors are complements of earthy browns.

AVAILABLE IN:

Thin Veneer – Flats and Corners

Size: Thickness 1" – 1-1/4"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix

Building Veneer

Size: Thickness 3" – 5"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix
Facing Area: 1/2 sq. ft. – 3 sq. ft.

Wallstone

Size: Thickness 5" – 14"
Facing Area: 1/4 sq. ft. – 3 sq. ft. plus
Coverage: 15-30 cu. ft. per pallet average

Uniwall

Size: Thickness 2" – 5"
Facing Area: 1/4 sq. ft. – 3/4 sq. ft.
Coverage: 30 cu. Ft. per pallet average

Flagging

Size: Thickness 1" – 3"
Cuts: Mosaic and Square & Rectangles
Facing Area: 3/4 sq. ft. – 3 sq. ft.
Coverage: 70 sq. ft. per ton average

Step Slabs

Size: Thickness 6" – 10"
Random widths and lengths

Please call for availability on all products. Additional products may be available.



SQUARES AND RECTANGLES



MOSAIC



SETTLERS MIX VENEER



ASHLAR



MOSAIC



SQUARES & RECTANGLES



WALLSTONE



DOLPH POND GRANITE™

Primarily made up of deep blues and grays with rich plum undertones, Dolph Pond Granite™ is bold in color with a very fine shimmery surface. This stone shows speckles of red garnet inclusions and small hints of bone white, adding a subtle depth and texture to its appearance.

AVAILABLE IN:

Thin Veneer – Flats and Corners

Size: Thickness 1" – 1 -1/4"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix

Building Veneer

Size: Thickness 3" – 5"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix
Facing Area: 1/2 sq. ft. – 3 sq. ft.

Wallstone

Size: Thickness 5" – 14"
Facing Area: 1/4 sq. ft. – 3 sq. ft. plus
Coverage: 15-30 cu. ft. per pallet average

Uniwall

Size: Thickness 2" – 5"
Facing Area: 1/4 sq. ft. – 3/4 sq. ft.
Coverage: 30 cu. Ft. per pallet average

Flagging

Size: Thickness 1" – 3"
Cuts: Mosaic and Square & Rectangles
Facing Area: 3/4 sq. ft. – 3 sq. ft.
Coverage: 70 sq. ft. per ton average

Step Slabs

Size: Thickness 6" – 10"
Random widths and lengths

Please call for availability on all products. Additional products may be available.



SQUARES AND RECTANGLES



MOSAIC



SETTLERS MIX VENEER




ASHLAR



SQUARES & RECTANGLES



SQUARES & RECTANGLES



SQUARES & RECTANGLES



SQUARES & RECTANGLES



HAWTHORNE GRANITE™

Layered with a blend of transparent pinks, salmons, whites, grays and blacks, Hawthorne Granite™ is distinct with an attractive contrast of colors and quartz. This is a lively stone with a noticeable sparkle. It is versatile with its ability to make an appealing blend but also beautiful enough to stand on its own.

AVAILABLE IN:

Thin Veneer – Flats and Corners

Size: Thickness 1" – 1 -1/4"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix

Building Veneer

Size: Thickness 3" – 5"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix
Facing Area: 1/2 sq. ft. – 3 sq. ft.

Wallstone

Size: Thickness 5" – 14"
Facing Area: 1/4 sq. ft. – 3 sq. ft. plus
Coverage: 15-30 cu. ft. per pallet average

Uniwall

Size: Thickness 2" – 5"
Facing Area: 1/4 sq. ft. – 3/4 sq. ft.
Coverage: 30 cu. Ft. per pallet average

Flagging

Size: Thickness 1" – 3"
Cuts: Mosaic and Square & Rectangles
Facing Area: 3/4 sq. ft. – 3 sq. ft.
Coverage: 70 sq. ft. per ton average

Step Slabs

Size: Thickness 6" – 10"
Random widths and lengths

Please call for availability on all products. Additional products may be available.



SQUARES AND RECTANGLES



MOSAIC



SETTLERS MIX VENEER



ASHLAR



ASHLAR



SQUARES AND RECTANGLES



SQUARES AND RECTANGLES



HERITAGE GRANITE

With a wide-ranging mix of warm and cool colors, Heritage Granite is the darkest of the natural blends within the Hawthorne vein. Rich shadows of burgundy and subtle layers of salmons are encompassed. Whites and blacks are complemented by windswept tans and browns to provide this stone with plenty of character.

AVAILABLE IN:

Thin Veneer – Flats and Corners

Size: Thickness 1" – 1-1/4"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix

Building Veneer

Size: Thickness 3" – 5"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix
Facing Area: 1/2 sq. ft. – 3 sq. ft.

Wallstone

Size: Thickness 5" – 14"
Facing Area: 1/4 sq. ft. – 3 sq. ft. plus
Coverage: 15-30 cu. ft. per pallet average

Uniwall

Size: Thickness 2" – 5"
Facing Area: 1/4 sq. ft. – 3/4 sq. ft.
Coverage: 30 cu. Ft. per pallet average

Flagging

Size: Thickness 1" – 3"
Cuts: Mosaic and Square & Rectangles
Facing Area: 3/4 sq. ft. – 3 sq. ft.
Coverage: 70 sq. ft. per ton average

Step Slabs

Size: Thickness 6" – 10"
Random widths and lengths

Please call for availability on all products. Additional products may be available.



SQUARES AND RECTANGLES



SETTLERS MIX VENEER



MOSAIC



ASHLAR



SETTLERS MIX



LAKE CHAMPLAIN GRANITE

This blend represents the darker colors of our Adirondack Granite with more concentrated, richer tones.

AVAILABLE IN:

Thin Veneer – Flats and Corners

Size: Thickness 1" – 1 -1/4"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix

Building Veneer

Size: Thickness 3" – 5"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix
Facing Area: 1/2 sq. ft. – 3 sq. ft.

Wallstone

Size: Thickness 5" – 14"
Facing Area: 1/4 sq. ft. – 3 sq. ft. plus
Coverage: 15-30 cu. ft. per pallet average

Uniwall

Size: Thickness 2" – 5"
Facing Area: 1/4 sq. ft. – 3/4 sq. ft.
Coverage: 30 cu. Ft. per pallet average

Flagging

Size: Thickness 1" – 3"
Cuts: Mosaic and Square & Rectangles
Facing Area: 3/4 sq. ft. – 3 sq. ft.
Coverage: 70 sq. ft. per ton average

Step Slabs

Size: Thickness 6" – 10"
Random widths and lengths

Please call for availability on all products. Additional products may be available.



SQUARES AND RECTANGLES



SETTLERS MIX VENEER



MOSAIC



ASHLAR



SQUARES AND RECTANGLES, ASHLAR,
AND LEDGE MIX



SQUARES AND RECTANGLES AND ASHLAR MIX



SQUARES AND RECTANGLES
AND ASHLAR MIX



LIMESTONE

If you are looking for a stone consistent in mostly cool colors, this is the stone for you. Blues, grays and some weathered browns can be found throughout all cuts of Limestone.

AVAILABLE IN:

Thin Veneer – Flats and Corners

Size: Thickness 1" – 1 -1/4"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix

Building Veneer

Size: Thickness 3" – 5"
Cuts: Mosaic, Square & Rectangles, Ashlar, and Settlers Mix
Facing Area: 1/2 sq. ft. – 3 sq. ft.

Wallstone

Size: Thickness 5" – 14"
Facing Area: 1/4 sq. ft. – 3 sq. ft. plus
Coverage: 15-30 cu. ft. per pallet average

Uniwall

Size: Thickness 2" – 5"
Facing Area: 1/4 sq. ft. – 3/4 sq. ft.
Coverage: 30 cu. Ft. per pallet average

Please call for availability on all products. Additional products may be available.



SQUARES AND RECTANGLES



SETTLERS MIX VENEER



MOSAIC



ASHLAR



ASHLAR AND SQUARES AND RECTANGLES



ASHLAR



SETTLERS MIX



SETTLERS MIX

CUSTOM BLENDS

There is no wrong way to blend Adirondack Natural Stone. Each job is an opportunity to create something unique and our staff will work directly with you to achieve the perfect blend for what you need.

IN THIS PHOTO:
Blend of Adirondack Granite
and Hawthorne Granite™





PACKAGING



STEP SLABS



BUILDING STONE



THIN VENEER FLATS (200 SQ. FT.)

Pallets of Thin Veneer are available in:
200 SQ. FT. | 100 SQ. FT.



THIN VENEER CORNERS



FABRICATION

Expanding our fabrication facility by doubling in size and adding new saws and equipment has made our capabilities practically limitless.

GANTRY SAW



WIRE SAW



FABRICATED CAPS




HAWTHORNE GRANITE FABRICATED
IRREGULAR 2" FLAGGING WITH THERMAL FINISH



SMALL GANTRY SAW



HAWTHORNE GRANITE FABRICATED STEPS
WITH THERMAL TOP FINISH AND ROCKED EDGES



HAWTHORNE GRANITE FABRICATED IRREGULAR 2"
FLAGGING WITH THERMAL FINISH



MENHIR 440 1600 X 1000 W/MP6RB, BCD & BTS | THE LARGEST STEINEX SPLITTER IN THE U.S.A.
484 ton splitting force with a 77" maximum opening | 63" blade length and 39.37" splitting height

STEINEX GUILLOTINES

Apex Equipment International, Inc. is the exclusive Steinex representative in the United States, originating in 2008. André Hagadorn, the founder of Apex, has been directly involved in the stone industry since he opened his first quarry in 1996. Realizing the importance of properly designed equipment that withstands the tasks set forth by this type of industry, André researched and found a company with similar goals and achievements. For more than 30 years Steinex Srl. (www.steinex.com), an Italian Manufacturer, has designed and produced a wide range of splitting machinery for finishing natural stone and cement products.

The first machine arrived in 2007, and to this date, has never let André down. As the processing facility of Adirondack Natural Stone grew, so did the lines of Italian manufactured guillotines supplied by Apex Equipment International. Today customers, throughout the United States and Canada, interested in splitting machinery, come to the processing yard to put the equipment "to the test" with their own product lines. History has proven that once a company invests in a Steinex machine, a second and third will follow. And it only makes sense that production and profitability is maximized when downtime caused by equipment failure is minimized.







PROUD MEMBER

T (518) 499-0602 | F (518) 499-2670 | 8986 U.S RT. 4, WHITEHALL, NY 12887 | ADIRONDACKNATURALSTONE.COM

Updated 04/23